

# Neue biologisch aktive Peptide & Proteine und natürliche Peptidbanken (in chronologischer Abfolge)

- (349) **Discovery and optimization of a natural HIV-1 entry inhibitor targeting the gp41 fusion peptide.** (2007) Munch J, Standker L, Adermann K, Schulz A, Schindler M, Chinnadurai R, Pohlmann S, Chaipan C, Biet T, Peters T, Meyer B, Wilhelm D, Lu H, Jing W, Jiang S, Forssmann WG, Kirchhoff F. *Cell*. **129**: 263- 75.
- (339) **A new toxin from the sea anemone *Condylactis gigantea* with effect on sodium channel inactivation.** (2006) Standker L, Beress L, Garateix A, Christ T, Ravens U, Salceda E, Soto E, John H, Forssmann WG, Aneiros A. *Toxicon*. **48**: 211- 20.
- (338) **The novel beta- defensin DEFB123 prevents lipopolysaccharide- mediated effects in vitro and in vivo.** (2006) Motzkus D, Schulz- Maronde S, Heitland A, Schulz A, Forssmann WG, Jubner M, Maronde E. *FASEBJ*. **20**: 1701- 2.
- (325) **Diversity of human insulin- like growth factor (IGF) binding protein- 2fragments in plasma: primary structure, IGF-binding properties, and disulfide bonding pattern.** (2005) Mark S, Kuler B, Honing S, Oesterreicher S, John H, Bräulke T, Forssmann WG, Standker L. *Biochemistry*. **44**: 3644- 52.
- (323) **Identification and characterization of novel endogenous proteolytic forms of the human angiogenesis inhibitors restin and endostatin.** (2005) John H, Radtke K, Standker L, Forssmann WG. *Biochim Biophys Acta*. **1747**: 161- 70.
- (321) **Isolation and characterization of a novel proopiomelanocortin- derived peptide from hemofiltrate of chronic renal failure patients.** (2005) Fricke K, Schulz A, John H, Forssmann WG, Maronde E. *Endocrinology*. **146**: 2060- 8.
- (316) **Automated multi- dimensional liquid chromatography: sample preparation and identification of peptides from human blood filtrate.** (2004) Machtejevas E, John H, Wagner K, Standker L, Marko- Varga G, Forssmann WG, Bischoff R, Unger KK. *JChromatogr B Analyt Technol Biomed Life Sci*. **803**: 121- 30.
- (313) **Characterization of human circulating TIG2 as a ligand for the orphan receptor ChemR23.** (2003) Meder W, Wendland M, Busmann A, Kutzleb C, Spodsberg N, John H, Richter R, Schleuder D, Meyer M, Forssmann WG. *FEBSLett*. **555**: 495- 9.
- (306) **In vivo processed fragments of IGF binding protein- 2 copurified with bioactive IGF- II.** (2003) Standker L, Kubler B, Obendorf M, Bräulke T, Forssmann WG, Mark S. *Biochem Biophys Res Commun*. **304**: 708- 13.
- (304) **Identification and functional characterization of hemorphins VV- H- 7 and LVV- H- 7 as low- affinity agonists for the orphan bombesin receptor subtype 3.** (2003) Lammerich HP, Busmann A, Kutzleb C, Wendland M, Seiler P, Berger C, Eickelmann P, Meyer M, Forssmann WG, Maronde E. *Br J Pharmacol*. **138**: 1431- 40.

- (302) Distribution of new human beta-defensin genes clustered on chromosome 20 in functionally different segments of epididymis.** (2003) Rodriguez-Jimenez FJ, Krause A, Schulz S, Forssmann WG, Conejo-Garcia JR, Schreeb R, Motzkus D. *Genomics*. **81**: 175-83.
- (301) Isolation and biochemical characterization of LEAP-2, a novel blood peptide expressed in the liver.** (2003) Krause A, Sillard R, Kleemeier B, Kluver E, Maronde E, Conejo-Garcia JR, Forssmann WG, Schulz-Knappe P, Nehls MC, Wattler F, Wattler S, Adermann K. *Protein Sci*. **12**: 143-52.
- (297) Isolation and characterization of circulating fragments of the insulin-like growth factor binding protein-3.** (2002) Kubler B, Draeger C, John H, Andag U, Scharf JG, Forssmann WG, Bräulke T, Standker L. *FEBS Lett*. **518**: 124-8.
- (294) Human milk provides peptides highly stimulating the growth of bifidobacteria.** (2002) Liepke C, Adermann K, Raida M, Magert HJ, Forssmann WG, Zucht HD. *Eur J Biochem*. **269**: 712-8.
- (292) The 15-Domain Serine Proteinase Inhibitor** (2002) Magert HJ, Kreutzmann P, Drogemüller K, Standker L, Adermann K, Walden M, John H, Kortig HC, Forssmann WG. *LEKTI: Biochemical Properties, Genomic Organization, and Pathophysiological Role*. *Eur J Med Res* **7**: 49-56. 2.
- (290) Human CC chemokine 1[9-74] induces CCR5 internalization and inhibits replication of R5-tropic HIV isolates in primary T-cells and macrophages.** (2002) Munch J, Standker L, Pohlmann S, Papkalla A, Rosorius O, Stauber R, Sass G, Heveker N, Adermann K, Forssmann WG, Kirchhoff F. *Antimicrob Agents Chemother* **46**: 982-990. 4.
- (289) LEKTI: a multidomain serine proteinase inhibitor with pathophysiological relevance.** (2002) Magert HJ, Kreutzmann P, Standker L, Walden M, Drogemüller K, Forssmann WG. *Int J Biochem Cell Biol* **34**: 573-6. 5.
- (287) Isolation and characterization of circulating fragments of the insulin-like growth factor binding protein-3.** (2002) Kubler B, Draeger C, John H, Andag U, Scharf JG, Forssmann WG, Bräulke T, Standker L. *FEBS Lett* **518**: 124-8. 7.
- (286) Human milk provides peptides highly stimulating the growth of bifidobacteria.** (2002) Liepke C, Adermann K, Raida M, Magert HJ, Forssmann WG, Zucht HD. *Eur J Biochem* **269**: 712-18. 8.
- (284) Biochemical features, molecular biology and clinical relevance of the human 15-domain serine proteinase inhibitor LEKTI.** (2002) Walden M, Kreutzmann K, Drogemüller K, John H, Forssmann WG, Magert HJ. *Biol Chem* **383**: 1139-1141. 10.
- (279) Hemofiltrate CC chemokines with unique biochemical properties: HCC-1/CCL14a and HCC-2/CCL15.** (2001) Forssmann U, Magert HJ, Adermann K, Escher SE, Forssmann WG. *J Leukoc Biol* **70**: 357-66.
- (277) Human beta-defensin 4: a novel inducible peptide with a specific salt-sensitive spectrum of antimicrobial activity.** (2001) Garcia JR, Krause A, Schulz S, Rodriguez-Jimenez FJ, Kluver E, Adermann K, Forssmann U, Frimpong-Boateng A, Bals R, Forssmann WG. *FASEB J* **15**: 1819-21.

- (271) **Purification of novel peptide antibiotics from human milk.** (2001) Liepke C, Zucht HD, Forssmann WG, Standker L. *J Chromatogr B Biomed Sci Appl* 752: 369–377.
- (265) **Natural proteolytic processing of hemofiltrate CC chemokine 1 generates a potent CC chemokine receptor (CCR)1 and CCR5 agonist with Anti-HIV properties.** (2000) Detheux M, Standker L, Vakili J, Munch J, Forssmann U, Adermann K, Pohlmann S, Vassart G, Kirchhoff F, Parmentier M, Forssmann WG. *J Exp Med* 192: 1501–8.
- (251) **Posttranslationally processed forms of the human chemokine HCC-1.** (2000) Richter R, Schulz-Knappe P, John H, Forssmann WG. *Biochemistry* 39: 10799–805.
- (245) **Partial IGF affinity of circulating N- and C-terminal fragments of human insulin-like growth factor binding protein-4 (IGFBP-4) and the disulfide bonding pattern of the C-terminal IGFBP-4 domain.** (2000) Standker L, Braulke T, Mark S, Mostafavi H, Meyer M, Honing S, Gimenez-Gallego G, Forssmann WG. *Biochemistry* 39: 5082–8.
- (238) **Structural and phylogenetic characterization of human SLURP-1, the first secreted mammalian member of the Ly-6/uPAR protein superfamily.** (1999) Adermann K, Wattler F, Wattler S, Heine G, Meyer M, Forssmann WG, Nehls M. *Protein Sci* 8: 810–9.
- (231) **Novel glycosylated forms of human plasma endostatin and circulating endostatin-related fragments of collagen XV.** (1999) John H, Preissner KT, Forssmann WG, Standker L. *Biochemistry* 38: 10217–24.
- (228) **LEKTI, a novel 15-domain type of human serine proteinase inhibitor.** (1999) Magert HJ, Standker L, Kreuzmann P, Zucht HD, Reinecke M, Sommerhoff CP, Fritz H, Forssmann WG. *J Biol Chem* 274: 21499–502.
- (227) **Porcine guanylin and uroguanylin: cDNA sequences, deduced amino acid sequences, and biological activity of the chemically synthesized peptides.** (1999) Magert HJ, Hill O, Zucht HD, Martin S, Meyer M, Forssmann WG, Adermann K. *Biochem Biophys Res Commun* 259: 141–8.
- (226) **The golden hamster aphrodisin gene. Structure, expression in parotid glands of female animals, and comparison with a similar murine gene.** (1999) Magert HJ, Cieslak A, Alkan O, Luscher B, Kauffels W, Forssmann WG. *J Biol Chem* 274: 444–50.
- (223) **Strategy for identifying circulating fragments of insulin-like growth factor binding proteins in a hemofiltrate peptide bank.** (1999) Mark S, Forssmann WG, Standker L. *J Chromatogr A* 852: 197–205.
- (214) **Liquid chromatography and electrospray mass spectrometric mapping of peptides from human plasma filtrate.** (1999) Raida M, Schulz-Knappe P, Heine G, Forssmann WG. *J Am Soc Mass Spectrom* 10: 45–54.
- (213) **Composition of the peptide fraction in human blood plasma: database of circulating human peptides.** (1999) Richter R, Schulz-Knappe P, Schrader M, Standker L, Jurgens M, Tammen H, Forssmann WG. *J Chromatogr B Biomed Sci Appl* 726: 25–35.
- (211) **Application of a peptide bank from porcine brain in isolation of regulatory peptides.** (1999) Seiler P, Standker L, Mark S, Hahn W, Forssmann WG, Meyer M. *J Chromatogr A* 852: 273–83.

- (204) **Isolation, characterization and synthesis of a novel paradaxin isoform.** (1998) Adermann K, Raida M, Paul Y, Abu-Raya S, Bloch-Shilderman E, Lazarovici P, Hochman J, Wellhoner H. *FEBS Lett* **435**: 173–7.
- (190) **Uroguanylin: gene structure, expression, processing as a peptide hormone, and co-storage with somatostatin in gastrointestinal D-cells.** (1998) Magert HJ, Reinecke M, David I, Raab HR, Adermann K, Zucht HD, Hill O, Hess R, Forssmann WG. *Regul Pept* **73**: 165–76.
- (183) **HCC-2, a human chemokine: gene structure, expression pattern, and biological activity.** (1998) Pardigol A, Forssmann U, Zucht HD, Loetscher P, Schulz-Knappe P, Baggiolini M, Forssmann WG, Magert HJ. *Proc Natl Acad Sci U S A* **95**: 6308–13.
- (180) **Equine cardiotion/atrial natriuretic peptide. Primary structure and immunohistochemical localization in auricular cardiocytes.** (1998) Richter R, Magert H, Mifune H, Schulz-Knappe P, Forssmann WG. *Acta Anat* **162**: 185–93.
- (175) **Isolation and characterization of circulating 13-kDa C-terminal fragments of human insulin-like growth factor binding protein-5.** (1998) Standker L, Wobst P, Mark S, Forssmann WG. *FEBS Lett* **441**: 281–6.
- (174) **A combined analysis of genomic and primary protein structure defines the phylogenetic relationship of new members of the T-box family.** (1998) Wattler S, Russ A. *Genomics* **48**: 24–33.
- (173) **Human beta-defensin-1: A urinary peptide present in variant molecular forms and its putative functional implication.** (1998) Zucht HD, Grabowsky J, Schrader M, Liepke C, Jurgens M, Schulz-Knappe P, Forssmann WG. *Eur J Med Res* **3**: 315–23.
- (167) **CKbeta8, a novel CC chemokine that predominantly acts on monocytes.** (1997) Forssmann U, Delgado MB, Ugucioni M, Loetscher P, Garotta G, Baggiolini M. *FEBS Lett* **408**: 211–6.
- (164) **Mapping of peptides and protein fragments in human urine using liquid chromatography-mass spectrometry.** (1997) Heine G, Raida M, Forssmann WG. *J Chromatogr A* **776**: 117–24.
- (161) **Isolation and characterization of the bioactive circulating human parathyroid hormone, hPTH-1-37.** (1997) Hock D, Magerlein M, Heine G, Ochlich PP, Forssmann WG. *FEBS Lett* **400**: 221–5.
- (147) **Peptide bank generated by large-scale preparation of circulating human peptides.** (1997) Schulz-Knappe P, Schrader M, Standker L, Richter R, Hess R, Jurgens M, Forssmann WG. *J Chromatogr A* **776**: 125–32.
- (143) **Isolation and characterization of the circulating form of human endostatin.** (1997) Standker L, Schrader M, Kanse SM, Jurgens M, Forssmann WG, Preissner KT. *FEBS Lett* **420**: 129–33.
- (138) **Isolation of human uteroglobin from blood filtrate.** (1996) Aoki A, Pasolli HA, Raida M, Meyer M, Schulz-Knappe P, Mostafavi H, Schepky AG, Znottko R, Elia J, Hock D, Beier HM, Forssmann WG. *Mol Hum Reprod* **2**: 489–97.

- (111) **HCC-1, a novel chemokine from human plasma.** (1996) Schulz-Knappe P, Magert HJ, Dewald B, Meyer M, Cetin Y, Kubbies M, Tomeczkowski J, Kirchhoff K, Raida M, Adermann K, Kist A, Reinicke M, Sillard R, Pardigol A, Baggiolini M, Forssmann WG. *J Exp Med* **183**: 295–9.
- (110) **Systematic isolation of circulating human peptides: the concept of peptide trapping.** (1996) Schulz-Knappe P, Raida M, Meyer M, Quellhorst EA, Forssmann WG. *Eur J Med Res* **1**: 223–36.
- (109) **Structural and functional characterization of vitronectin-derived RGD-containing peptides from human hemofiltrate.** (1996) Standker L, Enger A, Schulz-Knappe P, Wohn KD, Germer M, Raida M, Forssmann WG, Preissner KT. *Eur J Biochem* **241**: 557–63.
- (105) **Monocyte chemotactic protein 4 (MCP-4), a novel structural and functional analogue of MCP-3 and eotaxin.** (1996) Ugucioni M, Loetscher P, Forssmann U, Dewald B, Li H, Lima SH, Li Y, Kreider B, Garotta G, Thelen M, Baggiolini M. *J Exp Med* **183**: 2379–84.
- (100) **hBD-1: a novel beta-defensin from human plasma.** (1995) Bensch KW, Raida M, Magert HJ, Schulz-Knappe P, Forssmann WG. *FEBS Lett* **368**: 331–5.
- (085) **GCAP-II: isolation and characterization of the circulating form of human uroguanylin.** (1995) Hess R, Kuhn M, Schulz-Knappe P, Raida M, Fuchs M, Klodt J, Adermann K, Kaefer V, Cetin Y, Forssmann WG. *FEBS Lett* **374**: 34–8.
- (070) **In vivo degradation of human fibrinogen A alpha: detection of cleavage sites and release of antithrombotic peptides.** (1995) Standker L, Sillard R, Bensch KW, Ruf A, Raida M, Schulz-Knappe P, Schepky AG, Patscheke H, Forssmann WG. *Biochem Biophys Res Commun* **215**: 896–902.
- (065) **Casocidin-I: a casein-alpha s2 derived peptide exhibits antibacterial activity.** (1995) Zucht HD, Raida M, Adermann K, Magert HJ, Forssmann WG. *FEBS Lett* **372**: 185–8.
- (049) **Determination of sulfated peptides by differential iodination.** (1994) Schepky AG, Schmidt AM, Schmidt T, Schulz-Knappe P, Forssmann WG. *Biol Chem Hoppe Seyler* **375**: 201–3.
- (037) **The circulating bioactive form of human guanylin is a high molecular weight peptide (10.3 kDa).** (1993) Kuhn M, Raida M, Adermann K, Schulz-Knappe P, Gerzer R, Heim JM, Forssmann WG. *FEBS Lett* **318**: 205–9.
- (031) **A novel 77-residue peptide from porcine brain contains a leucine-zipper motif and is recognized by an antiserum to delta-sleep-inducing peptide.** (1993) Sillard R, Schulz-Knappe P, Vogel P, Raida M, Bensch KW, Forssmann WG, Mutt V. *Eur J Biochem* **216**: 429–36.