

Peptid & Proteinfunktion: Biochemie, Physiologie & Zellbiologie

(in chronologischer Abfolge)

- (350) **CgNa, a type I toxin from the sea anemone *Condylactis gigantea* shows structural similarities to both type I and II toxins, as well as distinctive structural and functional properties.** (2007) Salceda E, Perez-Castells J, Lopez-Mendez B, Garateix A, Salazar H, Lopez O, Aneiros A, Standker L, Beress L, Forssmann WG, Soto E, Jimenez-Barbero J, Gimenez-Gallego G. *Biochem J.* : [in press].
- (347) **Cellular and subcellular localization of paralemmin-1, a protein involved in cell shape control, in the rat brain, adrenal gland and kidney.** (2007) Kutzleb C, Petrasch-Parwez E, Kilimann MW. *Histochem Cell Biol.* **127** : 13- 30.
- (344) **The allergy-associated chemokine receptors CCR3 and CCR5 can be inactivated by the modified chemokine NNY-CCL11.** (2007) Manns J, Rieder S, Escher S, Eilers B, Forssmann WG, Elsner J, Forssmann U. *Allergy.* **62** : 17- 24.
- (336) **Increase of expression and activation of chemokine CCL15 in chronic renal failure.** (2006) Richter R, Forssmann U, Henschler R, Escher S, Frimpong-Boateng A, Forssmann WG. *Biochem Biophys Res Commun.* **345** : 1504- 12.
- (333) **hK5 and hK7, two serine proteinases abundant in human skin, are inhibited by LEKTI domain 6.** (2005) Egelrud T, Brattsand M, Kreutzmann P, Walden M, Vitzithum K, Marx UC, Forssmann WG, Magert HJ. *Br J Dermatol.* **153** : 1200- 3.
- (332) **Cloning, expressio, and functional characterization of cynomolgus monkey (*Macaca fascicularis*) CC chemokine receptor 1.** (2005) Gupta S, Schulz-Maronde S, Kutzleb C, Richter R, Forssmann WG, Kapp A, Forssmann U, Elsner J. *J Leukoc Biol.* **78** : 1175- 84.
- (331) **Differential pattern of CCR1 internalization in human eosinophils.** (2005) Elsner J, Dulkys Y, Gupta S, Escher SE, Forssmann WG, Kapp A, Forssmann U. *Allergy.* **60** : 1386- 93.
- (330) **Quantum proteolytic activation of chemokine CCL15 by neutrophil granulocytes modulates mononuclear cell adhesiveness.** (2005) Richter R, Bistran R, Escher S, Forssmann WG, Vakili J, Henschler R, Spodsber N, Frimpong-Boateng A, Forssmann U. *J Immunol.* **175** : 1599- 608.
- (324) **Synthesis of the blood circulating C-terminal fragment of insulin-like growth factor (IGF)-binding protein-4 in its native conformation. Crystallization, heparin and IGF binding, and osteogenic activity.** (2005) Fernandez-Tornero C, Lozano RM, Rivas G, Jimenez MA, Standker L, Diaz-Gonzalez D, Forssmann WG, Cuevas P, Romero A, Gimenez-Gallego G. *J Biol Chem.* **280** : 18899- 907.
- (322) **A distinct carbonic anhydrase in the mucus of the colon of humans and other mammals .** (2005) Kleinke T, Wagner S, John H, Hewett-Emmet D, Parkkila S, Forssmann WG, Gros G. *J Exp Biol.* **208** : 487- 96.

- (318) A three-step purification strategy for isolation of hamster TIG2 from CHO cells: characterization of two processed endogenous forms.** (2004) Busmann A, Walden M, Wendland M, Kutzleb C, Forssmann WG, John H. *J Chromatogr B Analyt Technol Biomed Life Sci.* **811** : 217- 23.
- (317) n-Nonanoyl- CC chemokine ligand 14, a potent CC chemokine ligand 14 analogue that prevents the recruitment of eosinophils in allergic airway inflammation.** (2004) Forssmann U, Hartung I, Balder R, Fuchs B, Escher SE, Spodsberg N, Dulkys Y, Walden M, Heitland A, Braun A, Forssmann WG, Elsner J. *J Immunol.* **173** : 3456- 66.
- (315) Recombinant production, purification and biochemical characterization of domain 6 of LEKTI: a temporary Kazal-type-related serine proteinase inhibitor.** (2004) Kreutzmann P, Schulz A, Standker L, Forssmann WG, Magert HJ. *J Chromatogr B Analyt Technol Biomed Life Sci.* **803** : 75- 81.
- (311) The leader peptide of MMTV Env precursor localizes to the nucleoli in MMTV-derived T cell lymphomas and interacts with nucleolar protein B23.** (2003) Hoch-Marchaim H, Weiss AM, Bar-Sinai A, Fromer M, Adermann K, Hochman J. *Virology.* **513** : 22- 32.
- (310) Human hemoglobin-derived peptides exhibit antimicrobial activity: a class of host defense peptides.** (2003) Liepke C, Baxmann S, Heine C, Breithaupt N, Standker L, Forssmann WG. *J Chromatogr B Analyt Technol Biomed Life Sci.* **791** : 345- 56.
- (307) N-terminal proopiomelanocortin acts as a mitogen in adrenocortical tumor cells and decreases adrenal steroidogenesis.** (2003) Fassnacht M, Hahner S, Hansen IA, Kreutzberger T, Zink M, Adermann K, Jakob F, Troppmair J, Allolio B. *J Clin Endocrinol Metab.* **88** : 2171- 9.
- (303) Expression of guanylyl cyclase B in the human corpus cavernosum penis and the possible involvement of its ligand C-type natriuretic polypeptide in the induction of penile erection.** (2003) Kuthe A, Reinecke M, Uckert S, Becker A, David I, Heitland A, Stief CG, Forssmann WG, Magert HJ. *J Urol.* **169** : 1918- 22.
- (295) Hemofiltrate CC chemokine 1[9- 74] causes effective internalization of CCR5 and is a potent inhibitor of R5-tropic human immunodeficiency virus type 1 strains in primary T cells and macrophages.** (2002) Munch J, Standker L, Pohlmann S, Baribaud F, Papkalla A, Rosorius O, Stauber R, Sass G, Heveker N, Adermann K, Escher S, Kluver E, Doms RW, Forssmann WG, Kirchhoff F. *Antimicrob Agents Chemother.* **46** : 982- 90.
- (276) Cellular localization, membrane distribution, and possible function of guanylyl cyclases A and 1 in collecting ducts of rat.** (2001) Hirsch JR, Kruhoffer M, Adermann K, Heitland K, Maronde E, Meyer M, Forssmann WG, Herter P, Plenz G, Schlatter E. *Cardiovascular Res* **51**: 553-61.
- (274) Human natriuretic peptides exhibit antimicrobial activity.** (2001) Krause A, Liepke C, Meyer M, Adermann K, Forssmann WG, Maronde E. *Eur J Med Res* **6**: 215-218.
- (273) Expression of different phosphodiesterase genes in human cavernous smooth muscle.** (2001) Kuthe A, Wiedenroth A, Magert HJ, Uckert S, Forssmann WG, Stief CG, Jonas U. *J Urol* **165**: 280-3.

- (264) **Macrophages infiltrating the tissue in chronic pancreatitis express the chemokine receptor CCR5.** (2000) Goecke H, Forssmann U, Uguccioni M, Friess H, Graber H, Conejo-Garcia JR, Zimmermann A, Baggiolini M, Buchler MW. *Surgery* **128**: 806–814.
- (259) **Cell-penetrating SH3 domain blocker peptides inhibit proliferation of primary blast cells from CML patients.** (2000) Kardinal C, Konkol B, Schulz A, Possern G, Lin H, Adermann K, Eulitz M, Estrov Z, Talpaz M, Arlinghaus RB, Feller SM. *FASEB J* **14**: 1529–38.
- (258) **LEAP-1, a novel highly disulfide-bonded human peptide, exhibits antimicrobial activity.** (2000) Krause A, Neitz SE, Magert HJ, Schulz A, Forssmann WG, Schulz-Knappe P, Adermann K. *FEBS Lett* **480**: 147–150.
- (257) **Analyses of signal transduction cascades reveal an essential role of calcium ions for regulation of melatonin biosynthesis in the light-sensitive pineal organ of the rainbow trout (*Oncorhynchus mykiss*).** (2000) Kroeber S, Meissl H, Maronde E, Korf HW. *J Neurochem* **74**: 2478–89.
- (256) **Expression and cell-specific localization of the cholecystokinin B/gastrin receptor in the human stomach.** (2000) Kulaksiz H, Arnold R, Goke B, Maronde E, Meyer M, Fahrenholz F, Forssmann WG, Eissele R. *Cell Tissue Res* **299**: 289–98.
- (255) **Gene expression of the phosphodiesterases 3A and 5A in human corpus cavernosum penis.** (2000) Kuthe A, Magert H, Uckert S, Forssmann WG, Stief CG, Jonas U. *Eur Urol* **38**: 108–14.
- (253) **The human PER1 gene is transcriptionally regulated by multiple signaling pathways.** (2000) Motzkus D, Maronde E, Grunenberg U, Lee CC, Forssmann WG, Albrecht U. *FEBS Lett* **486**: 315–319.
- (252) **Antisense experiments reveal molecular details on mechanisms of ICER suppressing cAMP-inducible genes in rat pinealocytes.** (2000) Pfeffer M, Maronde E, Korf HW, Stehle JH. *J Pineal Res* **29**: 24–33.
- (247) **Cyclic nucleotide analogs as biochemical tools and prospective drugs.** (2000) Schwede F, Maronde E, Genieser H, Jastorff B. *Pharmacol Ther* **87**: 199–226.
- (244) **Die Charakterisierung der Phosphodiesterase-Isoenzyme des Ureters und deren funktionelle Bedeutung in vitro.** (2000) Stief CG, Taher A, Meyer M, Schulz-Knappe P, Becker A, Forssmann WG, Jonas U. *Akt Urol* **26**: 27–31.
- (243) **Die Phosphodiesterase-Isoenzyme des humanen Corpus cavernosum penis und deren funktionelle Bedeutung.** (2000) Stief CG, Taher A, Truss M, Uckert S, Meyer M, Schulz-Knappe P, Forssmann WG, Jonas U. *Akt Urol* **26**: 22–24.
- (240) **The leukaemic oncoproteins Bcr-Abl and Tel-Abl (ETV6/Abl) have altered substrate preferences and activate similar intracellular signalling pathways.** (2000) Voss J, Possern G, Hannemann JR, Wiedemann LM, Turhan AG, Poirel H, Bernard OA, Adermann K, Kardinal C, Feller SM. *Oncogene* **19**: 1684–90.
- (232) **cGMP-dependent and -independent inhibition of a K⁺ conductance by natriuretic peptides: molecular and functional studies in human proximal tubule cells.** (1999) Hirsch JR, Meyer M, Magert HJ, Forssmann WG, Mollerup S, Herter P, Weber G, Cermak R, Ankorina-Stark I, Schlatter E, Kruhoffer M. *J Am Soc Nephrol* **10**: 472–80.

- (229) **Molecular biological characterization of phosphodiesterase 3A from human corpus cavernosum.** (1999) Kuthe A, Eckel H, Stief CG, Uckert S, Forssmann WG, Jonas U, Magert HJ. *Chem Biol Interact* **119–120**: 593–8.
- (222) **CREB phosphorylation and melatonin biosynthesis in the rat pineal gland: involvement of cyclic AMP dependent protein kinase type II.** (1999) Maronde E, Wicht H, Tasken K, Genieser HG, Dehghani F, Olcese J, Korf HW. *J Pineal Res* **27**: 170–82.
- (221) **Signal transduction in the rodent pineal organ. From the membrane to the nucleus.** (1999) Maronde E, Pfeffer M, von Gall C, Dehghani F, Schomerus C, Wicht H, Kroeber S, Olcese J, Stehle JH, Korf HW. *Adv Exp Med Biol* **460**: 109–31.
- (220) **Transcription factors in neuroendocrine regulation: rhythmic changes in pCREB and ICER levels frame melatonin synthesis.** (1999) Maronde E, Pfeffer M, Olcese J, Molina CA, Schlotter F, Dehghani F, Korf HW, Stehle JH. *J Neurosci* **19**: 3326–36.
- (219) **Regulated, side-directed secretion of proguanylin from isolated rat colonic mucosa.** (1999) Martin S, Adermann K, Forssmann WG, Kuhn M. *Endocrinology* **140**: 5022–9.
- (216) **Inducible cyclic AMP early repressor protein in rat pinealocytes: a highly sensitive natural reporter for regulated gene transcription.** (1999) Pfeffer M, Maronde E, Molina CA, Korf HW, Stehle JH. *Mol Pharmacol* **56**: 279–89.
- (215) **Expression, regulation and clinical significance of bone morphogenetic protein 6 in esophageal squamous-cell carcinoma.** (1999) Raida M, Sarbia M, Clement JH, Adam S, Gabbert HE, Hoffken K. *Int J Cancer* **83**: 38–44.
- (200) **Nociceptin-induced inhibition of tachykinergic neurotransmission in guinea pig bronchus.** (1998) Fischer A, Forssmann WG, Udem BJ. *J Pharmacol Exp Ther* **285**: 902–7.
- (199) **The endocrine heart and natriuretic peptides: histochemistry, cell biology, and functional aspects of the renal urodilatin system.** (1998) Forssmann WG, Richter R, Meyer M. *Histochem Cell Biol* **110**: 335–57.
- (195) **Guanylin stimulates regulated secretion from human neuroendocrine pancreatic cells.** (1998) John M, Wiedenmann B, Kruhoffer M, Adermann K, Ankorina-Stark I, Schlatter E, Ahnert-Hilger G, Forssmann WG, Kuhn M. *Gastroenterology* **114**: 791–7.
- (193) **Paralemmin, a prenyl-palmitoyl-anchored phosphoprotein abundant in neurons and implicated in plasma membrane dynamics and cell process formation.** (1998) Kutzleb C, Sanders G, Yamamoto R, Wang X, Lichte B, Petrasch-Parwez E, Kilimann MW. *J Cell Biol* **143**: 795–813.
- (185) **Cloning of glucocorticoid receptor and mineralocorticoid receptor cDNA and gene expression in the central nervous system of the tree shrew (*Tupaia belangeri*).** (1998) Meyer U, Kruhoffer M, Flugge G, Fuchs E. *Mol Brain Res* **55**: 243–53.
- (184) **The germinal center kinase (GCK)-related protein kinases HPK1 and KHS are candidates for highly selective signal transducers of Crk family adapter proteins.** (1998) Oehrl W, Kardinal C, Ruf S, Adermann K, Groffen J, Feng GS, Blenis J, Tan TH, Feller SM. *Oncogene* **17**: 1893–901.
- (181) **Development of highly selective SH3 binding peptides for Crk and CRKL which disrupt Crk-complexes with DOCK180, SoS and C3G.** (1998) Posern G, Zheng J, Knudsen BS, Kardinal C, Muller KB, Voss J, Shishido T, Cowburn D, Cheng G, Wang B, Kruh GD, Burrell SK, Jacobson CA, Lenz DM, Zamborelli TJ, Adermann K, Hanafusa H, Feller SM. *Oncogene* **16**: 1903–12.

- (169) **Proteolysis of insulin-like growth factors (IGF) and IGF binding proteins by cathepsin D.** (1997) Claussen M, Kubler B, Wendland M, Neifer K, Schmidt B, Zapf J, Braulke T. *Endocrinology* **138**: 3797–803.
- (168) **Localization of the iodomyacin binding site in hamster P-glycoprotein.** (1997) Demmer A, Thole H, Kubesch P, Brandt T, Raida M, Fislage R, Tummler B. *J Biol Chem* **272**: 20913–9.
- (166) **Eotaxin-2, a novel CC chemokine that is selective for the chemokine receptor CCR3, and acts like eotaxin on human eosinophil and basophil leukocytes.** (1997) Forssmann U, Ugucioni M, Loetscher P, Dahinden CA, Langen H, Thelen M, Baggiolini M. *J Exp Med* **185**: 2171–6.
- (165) **Molecular cloning and characterization of ConBr, the lectin of *Canavalia brasiliensis* seeds.** (1997) Grangeiro TB, Schriefer A, Calvete JJ, Raida M, Urbanke C, Barral-Netto M, Cavada BS. *Eur J Biochem* **248**: 43–8.
- (163) **ANP protects against reoxygenation-induced hypercontracture in adult cardiomyocytes.** (1997) Hempel A, Friedrich M, Schluter KD, Forssmann WG, Kuhn M, Piper HM. *Am J Physiol* **273**: H244–9.
- (158) **Gene expression of aphrodisin in female hamster genital tract segments.** (1997) Kruhoffer M, Bub A, Cieslak A, Adermann K, Kunstyr I, Forssmann WG, Magert H. *Cell Tissue Res* **287**: 153–60.
- (157) **Endothelin-1 potently stimulates chloride secretion and inhibits Na(+)-glucose absorption in human intestine in vitro.** (1997) Kuhn M, Fuchs M, Beck FX, Martin S, Jahne J, Klempnauer J, Kaefer V, Rechkemmer G, Forssmann WG. *J Physiol* **499**: 391–402.
- (155) **Stimulation of a nicotinic ACh receptor causes depolarization and activation of L-type Ca²⁺ channels in rat pinealocytes.** (1997) Letz B, Schomerus C, Maronde E, Korf HW, Korbmacher C. *J Physiol* **499**: 329–40.
- (153) **Control of CREB phosphorylation and its role for induction of melatonin synthesis in rat pinealocytes.** (1997) Maronde E, Schomerus C, Stehle JH, Korf HW. *Biol Cell* **89**: 505–11.
- (152) **Melatonin synthesis in the bovine pineal gland is regulated by type II cyclic AMP-dependent protein kinase.** (1997) Maronde E, Middendorff R, Telgmann R, Muller D, Hemmings B, Tasken K, Olcese J. *J Neurochem* **68**: 770–7.
- (142) **Cyclic nucleotide phosphodiesterase in human cavernous smooth muscle.** (1997) Taher A, Meyer M, Stief CG, Jonas U, Forssmann WG. *World J Urol* **15**: 32–5.
- (141) **Activated protein kinase A is required for differentiation-dependent transcription of the decidual prolactin gene in human endometrial stromal cells.** (1997) Telgmann R, Maronde E, Tasken K, Gellersen B. *Endocrinology* **138**: 929–37.
- (137) **Immunocytochemical evidence for differential subcellular localization of 5 alpha-reductase isoenzymes in human tissues.** (1996) Aumuller G, Eicheler W, Renneberg H, Adermann K, Vilja P, Forssmann WG. *Acta Anat* **156**: 241–52.
- (134) **Mapping the heparin-binding domain of boar spermadhesins.** (1996) Calvete JJ, Dostalova Z, Sanz L, Adermann K, Thole HH, Topfer-Petersen E. *FEBS Lett* **379**: 207–11.

- (133) **The primary structure of BSP-30K, a major lipid-, gelatin-, and heparin-binding glycoprotein of bovine seminal plasma.** (1996) Calvete JJ, Mann K, Sanz L, Raida M, Topfer-Petersen E. *FEBS Lett* **399**: 147-52.
- (132) **Natriuretic peptides increase a K⁺ conductance in rat mesangial cells.** (1996) Cermak R, Kleta R, Forssmann WG, Schlatter E. *Pflugers Arch* **431**: 571-7.
- (131) **Postprandial natriuresis in humans: further evidence that urodilatin, not ANP, modulates sodium excretion.** (1996) Drummer C, Franck W, Heer M, Forssmann WG, Gerzer R, Goetz K. *Am J Physiol* **270**: F301-10.
- (130) **Natriuresis caused by increased carotid Na⁺ concentration after renal denervation.** (1996) Emmeluth C, Goetz KL, Drummer C, Gerzer R, Forssmann WG, Bie P. *Am J Physiol* **270**: F510-7.
- (128) **Pituitary adenylate cyclase-activating polypeptide: a potent activator of human intestinal ion transport.** (1996) Fuchs M, Adermann K, Raab HR, Forssmann WG, Kuhn M. *Ann N Y Acad Sci* **805**: 640-7.
- (127) **Guanylin strongly stimulates rat duodenal HCO₃⁻ secretion: proposed mechanism and comparison with other secretagogues.** (1996) Guba M, Kuhn M, Forssmann WG, Classen M, Gregor M, Seidler U. *Gastroenterology* **111**: 1558-68.
- (125) **Signal transduction molecules in the rat pineal organ: Ca²⁺, pCREB, and ICER.** (1996) Korf HW, Schomerus C, Maronde E, Stehle JH. *Naturwissenschaften* **83**: 535-43.
- (119) **Expression of C-type natriuretic peptide in the bovine pineal gland.** (1996) Middendorff R, Maronde E, Paust HJ, Muller D, Davidoff M, Olcese J. *J Neurochem* **67**: 517-24.
- (117) **Functional analysis of the human guanylin gene promoter.** (1996) Pardigol A, Magert H, Hill O, Forssmann WG. *Biochem Biophys Res Commun* **224**: 638-44.
- (116) **Localization, expression, and characterization of guanylin in the rat adrenal medulla.** (1996) Reinecke M, David I, Loffing-Cueni D, Ablinger P, Cetin Y, Kuhn M, Forssmann WG. *Histochem Cell Biol* **106**: 367-74.
- (113) **cGMP-activating peptides do not regulate electrogenic electrolyte transport in principal cells of rat CCD.** (1996) Schlatter E, Cermak R, Forssmann WG, Hirsch JR, Kleta R, Kuhn M, Sun D, Schafer JA. *Am J Physiol* **271**: F1158-65.
- (112) **Vasoactive intestinal peptide (VIP) and pituitary adenylate cyclase-activating polypeptide (PACAP) induce phosphorylation of the transcription factor CREB in subpopulations of rat pinealocytes: immunocytochemical and immunochemical evidence.** (1996) Schomerus C, Maronde E, Laedtke E, Korf HW. *Cell Tissue Res* **286**: 305-13.
- (108) **Cyclic nucleotide phosphodiesterase (PDE) isoenzymes in the human detrusor smooth muscle. II. Effect of various PDE inhibitors on smooth muscle tone and cyclic nucleotide levels in vitro.** (1996) Truss MC, Uckert S, Stief CG, Forssmann WG, Jonas U. *Urol Res* **24**: 129-34.
- (107) **Effects of various phosphodiesterase-inhibitors, forskolin, and sodium nitroprusside on porcine detrusor smooth muscle tonic responses to muscarinic stimulation and cyclic nucleotide levels in vitro.** (1996) Truss MC, Uckert S, Stief CG, Kuczyk M, Schulz-Knappe P, Forssmann WG, Jonas U. *Neurourol Urodyn* **15**: 59-70.

- (106) **Is S-nitroso-N-acetyl-L-cysteine a circulating or an excretory metabolite of nitric oxide (NO) in man? Assessment by gas chromatography-mass spectrometry.** (1996) Tsikas D, Rossa S, Stichtenoth DO, Raida M, Gutzki FM, Frolich JC. *Biochem Biophys Res Commun* **220**: 939-44.
- (104) **hDIP--a potential transcriptional regulator related to murine TSC-22 and Drosophila shortsighted (shs)--is expressed in a large number of human tissues.** (1996) Vogel P, Magert HJ, Cieslak A, Adermann K, Forssmann WG. *Biochim Biophys Acta* **1309**: 200-4.
- (103) **Association between different psychotic disorders and the DRD4 polymorphism, but no differences in the main ligand binding region of the DRD4 receptor protein compared to controls.** (1996) Weiss J, Magert HJ, Cieslak A, Forssmann WG. *Eur J Med Res* **1**: 439-45.
- (101) **Pituitary adenylate cyclase-activating polypeptide stimulates cardiodilatin/atrial natriuretic peptide (CDD/ANP-(99-126) secretion from cultured neonatal rat myocardiocytes.** (1995) Basler I, Kuhn M, Muller W, Forssmann WG. *Eur J Pharmacol* **291**: 335-42.
- (097) **Amino acid sequence of HSP-1, a major protein of stallion seminal plasma: effect of glycosylation on its heparin- and gelatin-binding capabilities.** (1995) Calvete JJ, Mann K, Schafer W, Sanz L, Reinert M, Nessau S, Raida M, Topfer-Petersen E. *Biochem J* **310**: 615-22.
- (096) **Boar spermadhesin PSP-II: location of posttranslational modifications, heterodimer formation with PSP-I glycoforms and effect of dimerization on the ligand-binding capabilities of the subunits.** (1995) Calvete JJ, Mann K, Schafer W, Raida M, Sanz L, Topfer-Petersen E. *FEBS Lett* **365**: 179-82.
- (095) **Bronchiolar nonciliated secretory (Clara) cells: source of guanylin in the mammalian lung.** (1995) Cetin Y, Kulaksiz H, Redecker P, Bargsten G, Adermann K, Grube D, Forssmann WG. *Proc Natl Acad Sci U S A* **92**: 5925-9.
- (094) **Distribution of rat hepatic steroid 5 alpha-reductase 1 as shown by immunohistochemistry.** (1995) Eicheler W, Seitz J, Steinhoff M, Forssmann WG, Adermann K, Aumuller G. *Exp Clin Endocrinol Diabetes* **103**: 105-12.
- (091) **Identification by affinity chromatography of boar sperm membrane-associated proteins bound to immobilized porcine zona pellucida. Mapping of the phosphorylethanolamine-binding region of spermadhesin AWN.** (1995) Ensslin M, Calvete JJ, Thole HH, Sierralta WD, Adermann K, Sanz L, Topfer-Petersen E. *Biol Chem Hoppe Seyler* **376**: 733-8.
- (090) **Structure and effects of a kinin potentiating fraction F (AppF) isolated from Agkistrodon piscivorus piscivorus venom.** (1995) Ferreira LA, Mollring T, Lebrun FL, Raida M, Znottko R, Habermehl GG. *Toxicon* **33**: 1313-9.
- (086) **Novel (Rp)-cAMPS analogs as tools for inhibition of cAMP-kinase in cell culture. Basal cAMP-kinase activity modulates interleukin-1 beta action.** (1995) Gjertsen BT, Mellgren G, Otten A, Maronde E, Genieser HG, Jastorff B, Vintermyr OK, McKnight GS, Dorskeland SO. *J Biol Chem* **270**: 20599-607.
- (084) **A new human guanylate cyclase-activating peptide (GCAP-II, uroguanylin): precursor cDNA and colonic expression.** (1995) Hill O, Cetin Y, Cieslak A, Magert HJ, Forssmann WG. *Biochim Biophys Acta* **1253**: 146-9.

- (083) Analysis of the human guanylin gene and the processing and cellular localization of the peptide.** (1995) Hill O, Kuhn M, Zucht HD, Cetin Y, Kulaksiz H, Adermann K, Klock G, Reckemmer G, Forssmann WG, Magert HJ. *Proc Natl Acad Sci U S A* **92**: 2046–50.
- (082) Release of urodilatin from perfused rat kidney and from cultured neonatal rat kidney cells.** (1995) Kirchhoff K, Forssmann WG. *Pflugers Arch* **430**: 739–44.
- (081) Circulating and tissue guanylin immunoreactivity in intestinal secretory diarrhoea.** (1995) Kuhn M, Kulaksiz H, Cetin Y, Frank M, Nold R, Arnold R, Boker K, Bischoff SC, Manns MP, Forssmann WG. *Eur J Clin Invest* **25**: 899–905.
- (079) cDNA sequence and expression pattern of the putative pheromone carrier aphrodisin.** (1995) Magert HJ, Hadrys T, Cieslak A, Groger A, Feller S, Forssmann WG. *Proc Natl Acad Sci U S A* **92**: 2091–5.
- (078) The effect of NO-donors in bovine and rat pineal cells: stimulation of cGMP and cGMP-independent inhibition of melatonin synthesis.** (1995) Maronde E, Middendorff R, Mayer B, Olcese J. *J Neuroendocrinol* **7**: 207–14.
- (074) Detection of immunoreactive atrial and brain natriuretic peptides in the equine atrium.** (1995) Mifune H, Richter R, Forssmann WG. *Anat Embryol* **192**: 117–21.
- (069) Phosphodiesterase isoenzymes in human ureteral smooth muscle: identification, characterization, and functional effects of various phosphodiesterase inhibitors in vitro.** (1995) Stief CG, Taher A, Truss M, Becker AJ, Schulz-Knappe P, Meyer M, Uckert S, Forssmann WG, Jonas U. *Urol Int* **55**: 183–9.
- (068) Porcine detrusor cyclic nucleotide phosphodiesterase isoenzymes: characterization and functional effects of various phosphodiesterase inhibitors in vitro.** (1995) Truss MC, Uckert S, Stief CG, Schulz-Knappe P, Hess R, Forssmann WG, Jonas U. *Urology* **45**: 893–901.
- (067) Cyclic adenosine monophosphate (cAMP) analogs 8-Cl- and 8-NH₂-cAMP induce cell death independently of cAMP kinase-mediated inhibition of the G₁/S transition in mammary carcinoma cells (MCF-7).** (1995) Va, Boe R, Brustugun OT, Maronde E, Aakvaag A, Doskeland SO. *Endocrinology* **136**: 2513–20.
- (066) Localization and coexistence of atrial natriuretic peptide (ANP) and neuropeptide Y (NPY) in vertebrate adrenal chromaffin cells immunoreactive to TH, DBH and PNMT.** (1995) Wolfensberger M, Forssmann WG, Reinecke M. *Cell Tissue Res* **280**: 267–76.
- (064) Localization and structural characterization of an oligosaccharide O-linked to bovine PDC-109. Quantitation of the glycoprotein in seminal plasma and on the surface of ejaculated and capacitated spermatozoa.** (1994) Calvete JJ, Raida M, Sanz L, Wempe F, Scheit KH, Romero A, Topfer-Petersen E. *FEBS Lett* **350**: 203–6.
- (062) Enterochromaffin cells of the digestive system: cellular source of guanylin, a guanylate cyclase-activating peptide.** (1994) Cetin Y, Kuhn M, Kulaksiz H, Adermann K, Bargsten G, Grube D, Forssmann WG. *Proc Natl Acad Sci U S A* **91**: 2935–9.
- (060) Immunocytochemical localization of human 5 alpha-reductase 2 with polyclonal antibodies in androgen target and non-target human tissues.** (1994) Eichel W, Tuohimaa P, Vilja P, Adermann K, Forssmann WG, Aumuller G. *J Histochem Cytochem* **42**: 667–75.

- (053) **Urodilatin inhibits sodium reabsorption in the isolated perfused rat kidney.** (1994) Kirchhoff K, Bub A, Marxen P, Forssmann WG. *Exp Nephrol* 2: 351–7.
- (052) **Radioimmunoassay for circulating human guanylin.** (1994) Kuhn M, Kulaksiz H, Adermann K, Rechkemmer G, Forssmann WG. *FEBS Lett* 341: 218–22.
- (051) **Segmental differences in the effects of guanylin and Escherichia coli heat-stable enterotoxin on Cl⁻ secretion in human gut.** (1994) Kuhn M, Adermann K, Jahne J, Forssmann WG, Rechkemmer G. *J Physiol* 479: 433–40.
- (048) **Human hemofiltrate as a source of circulating bioactive peptides: determination of amino acids, peptides and proteins.** (1994) Schepky AG, Bensch KW, Schulz-Knappe P, Forssmann WG. *Biomed Chromatogr* 8: 90–4.
- (047) **Characterization of cyclic nucleotide phosphodiesterase isoenzymes in the human ureter and their functional role in vitro.** (1994) Taher A, Schulz-Knappe P, Meyer M, Truss M, Forssmann WG, Stief CG, Jonas U. *World J Urol* 12: 286–91.
- (042) **The genetic subtypes of cAMP-dependent protein kinase--functionally different or redundant?** (1993) Doskeland SO, Maronde E, Gjertsen BT. *Biochim Biophys Acta* 1178: 249–58.
- (033) **Preparations of Rp-cyclic adenosine 3',5'-phosphorothioate (Rp-cAMPS) can contain biologically active amounts of adenosine.** (1993) Musgrave IF, Genieser HG, Maronde E, Seifert R. *FEBS Lett* 318: 227–30.
- (032) **Ecto-5'-nucleotidase activity in PC 12 cells is synergistically modulated by nerve growth factor and 8-Bromo-cAMP.** (1993) Richter-Landsberg C, Maronde E, Besser A. *Neurosci Res Comm* 12: 51–56.
- (030) **Differential effects of two structurally related N6-substituted cAMP analogues on C6 glioma cells.** (1993) Zorn M, Maronde E, Jastorff B, Richter-Landsberg C. *Eur J Cell Biol* 60: 351–7.
- (028) **Ultrastructural and immunocytochemical study of the myoendocrine cells of the fish *Hypostomus cordovae*.** (1992) Maldonado C, Forssmann WG, Aoki A. *Anat Embryol* 186: 557–61.
- (027) **Relaxation of non-contracted smooth muscle by atrial natriuretic peptide.** (1992) Peral de Bruno M, Coviello A, Meyer M, Forssmann WG. *Clin Exp Hypertens A* 14: 1125–39.
- (026) **Distribution patterns and coexistence of neurohormonal peptides (ANP, BNP, NPY, SP, CGRP, enkephalins) in chromaffin cells and nerve fibers of the anuran adrenal organ.** (1992) Reinecke M, Heym C, Forssmann WG. *Cell Tissue Res* 268: 247–56.
- (025) **Unhydrolyzable analogues of adenosine 3':5'-monophosphate demonstrating growth inhibition and differentiation in human cancer cells.** (1992) Yokozaki H, Tortora G, Pepe S, Maronde E, Genieser HG, Jastorff B, Cho-Chung YS. *Cancer Res* 52: 2504–8.
- (024) **Cardiale Peptidhormone: Weitere Nachweise von (CDD/ANP)-ähnlichen Peptides mit segmentspezifischen Antikörpern.** (1991) Christman MP, Rippegather G, Bruhl B, Herbold B, Forssmann WG. *Verh Anat Ges* 84: 295–7.
- (023) **Cardiac peptides are also regulatory peptides in the autonomic nervous system and in paraneuronal systems.** (1991) Forssmann WG, Magert HJ, Meyer M, Schulz-Knappe P. *J Auton Nerv Syst* 33: 117–118.

- (022) **Intrinsic pancreatic nerves after mechanical denervation of the extrinsic pancreatic nerves in dogs.** (1991) Huchtebrock HJ, Niebel W, Singer MV, Forssmann WG. *Pancreas* 6: 1–8.
- (021) **Atrial natriuretic peptide-like immunoreactive cells in the guinea pig inner ear.** (1991) Meyer zum Gottesberge AM, Gagelmann M, Forssmann WG. *Hear Res* 56: 86–92.
- (020) **TSH secretion in Cushing's syndrome: relation to glucocorticoid excess, diabetes, goitre, and the 'sick euthyroid syndrome'.** (1990) Benker G, Raida M, Olbricht T, Wagner R, Reinhardt W, Reinwein D. *Clin Endocrinol* 33: 777–86.
- (019) **Demonstration of the storage form of cardiac hormones by the use of segment-specific antibodies against human cardiodilatin/human atrial natriuretic peptide (CDD/hANP).** (1990) Christmann MP, Nokihara K, Feller S, Forssmann WG. *Acta Histochem Suppl* 38: 173–8.
- (018) **Nucleotide sequence of a porcine prepro atrial natriuretic peptide (ANP) cDNA.** (1990) Magert HJ, Appelhans H, Gassen HG, Forssmann WG. *Nucleic Acids Res* 18: 6704.
- (017) **Lokalisation von Cardiodilatin (CDD) im Nebennierenmark.** (1990) Meyer M, Feller S, Gagelmann M, Hock D, Nokihara K, Forssmann WG. *Verh Anat Ges* 83: 429–432.
- (016) **Targeting of a lysosomal membrane protein: a tyrosine-containing endocytosis signal in the cytoplasmic tail of lysosomal acid phosphatase is necessary and sufficient for targeting to lysosomes.** (1990) Peters C, Braun M, Weber B, Wendland M, Schmidt B, Pohlmann R, Waheed A, von Figura K. *EMBO J* 9: 3497–506.
- (013) **Endogenous natriuretic peptides: effect on collecting duct function in rat kidney.** (1990) Schulz-Knappe P, Honrath U, Forssmann WG, Sonnenberg H. *Am J Physiol* 259: F415–8.
- (012) **Atrial myoendocrine cells (cardiodilatin/atrial natriuretic polypeptide-containing myocardiocytes) are target cells for estradiol.** (1989) Back H, Forssmann WG, Stumpf WE. *Cell Tissue Res* 255: 673–4.
- (009) **Separation of synthetic cardiodilatin/atrial natriuretic factor and related peptides by reversed-phase high-performance liquid chromatography.** (1989) Dorner T, Gagelmann M, Hock D, Herbst F, Forssmann WG. *J Chromatogr* 490: 411–7.
- (008) **Urodilatin: a newly described member of the ANP family.** (1989) Feller SM, Gagelmann M, Forssmann WG. *Trends Pharmacol Sci* 10: 93–4.
- (007) **The endocrine heart.** (1989) Forssmann WG. *Prog Clin Biol Res* 295: 401–17.
- (005) **Fibrin glue anastomoses of the uterine tube using various experimental conditions.** (1989) Gauwerky JF, Reinecke M, Forssmann WG. *Arch Gynecol Obstet* 245: 419–24.
- (004) **Effects of superior mesenteric and coeliac ganglionectomy on peptide-producing cells of the small intestinal mucosa in the Hanford mini pig. II. Immunohistochemical study.** (1989) Holle GE, Forssmann WG, Rehfeld JF, Holle F. *J Auton Nerv Syst* 26: 147–56.
- (001) **Degradation of porcine brain natriuretic peptide (pBNP-26) by endoprotease-24.11 from kidney cortical membranes.** (1989) Vogt-Schaden M, Gagelmann M, Hock D, Herbst F, Forssmann WG. *Biochem Biophys Res Commun* 161: 1177–83.