

Struktur-Aktivitätsbeziehung & Peptidsynthese und -analyse (in chronologischer Abfolge)

- (346) **Quantification of angiotensin- converting- enzyme- mediated degradation of human chemerin 145- 154 in plasma by matrix- assisted laser desorption/ionization- time- of- flight mass spectrometry.** (2007) John H, Hierer J, Haas O, Forssmann WG. *Anal Biochem.* **362**: 117- 25.
- (345) **Comparative in vitro degradation of the human hemorphin LVV- H7 in mammalian plasma analysed by capillary zone electrophoresis and mass spectrometry.** (2007) John H, Schulz S, Forssmann WG. *Biopharm Drug Dispos.* **28**: 73- 85.
- (340) **Validated multi- component CZE-UV procedure for the quantification of human hemorphin LVV- H7 in plasma stability studies.** (2006) John H, Schulz S, Forssmann WG. *Anal Bioanal Chem.* **386**: 235- 43.
- (335) **Engineering disulfide bonds of the novel human beta- defensins hBD- 27 and hBD- 28: differences in disulfide formation and biological activity among human beta- defensins.** (2005) Schulz A, Kluver E, Schulz- Maronde S, Adermann K. *Biopolymers.* **80**: 34- 49.
- (329) **Structure- activity relation of human beta- defensin 3: influence of disulfide bonds and cysteine substitution on antimicrobial activity and cytotoxicity.** (2005) Kluver E, Schulz- Maronde S, Scheid S, Meyer B, Forssmann WG, Adermann K. *Biochemistry.* **44**: 9804- 16.
- (328) **Side chain contributions to the interconversion of the topological isomers of guanylin- like peptides.** (2005) Schulz A, Marx UC, Tidten N, Lauber T, Hidaka Y, Adermann K. *JPept Sci.* **11**: 319- 30.
- (326) **In vitro degradation of the antimicrobial human peptide HEM- gamma 130- 146 in plasma analyzed by a validated quantitative LC- MS/MS procedure.** (2005) John H, Huynh KD, Hedtmann C, Walden M, Schulz A, Anspach FB, Forssmann WG. *Anal Biochem.* **341**: 173- 86.
- (320) **Stability and cleavage conditions of (2- furyl)- L- alanine- containing peptides.** (2004) Schulz A, Busmann A, Kluver E, Schnebel M, Adermann K. *Protein Pept Lett.* **11**: 601- 6.
- (314) **Functional analysis of chemically synthesized derivatives of the human CC chemokine CCL15/HCC- 2, a high affinity CCR1 ligand.** (2004) Escher SE, Forssmann U, Frimpong- Boateng A, Adermann K, Vakili J, Sticht H, Detheux M. *JPept Res.* **63**: 36- 47.
- (305) **Homologous proteins with different folds: the three- dimensional structures of domains 1 and 6 of the multiple Kazal- typ inhibitor LEKTI.** (2003) Lauber T, Schulz A, Schweimer K, Adermann K, Marx UC. *JMol Biol.* **328**: 205- 19.

- (299) **Time-resolved fluorometric assay for the detection of endostatin in chromatographically separated extracts of natural peptides.** (2002) John H, Schulz S, Forssmann WG, Standker L. *J Immunol Methods*. **268**: 233- 7.
- (298) **Chemical synthesis of beta-defensins and LEAP-1/hepcidin.** (2002) Kluver E, Schulz A, Forssmann WG, Adermann K. *J Pept Res*. **59**: 241- 8.
- (293) **Structure determination of human and murine beta-defensins reveals structural conservation in the absence of significant sequence similarity.** (2001) Bauer F, Schweimer K, Kluver E, Conejo-Garcia JR, Forssmann WG, Rosch P, Adermann K, Sticht H. *Protein Sci*. **10**: 2470- 9.
- (288) **Synthesis of novel mammalian cysteine-rich peptide antibiotics.** (2002) Klüver E, Schulz A, Forssmann WG, Adermann K. *J Pept Res* **59** : 241- 8. 6.
- (285) **Fmoc-based synthesis of the human CC chemokine CCL14/HCC- 1 by SPPS and native chemical ligation.** (2002) Escher SE, Kluver E, Adermann K. *Lett Pept Sci* **8** : 349- 357. 9.
- (283) **Time-resolved fluorometric assay for the detection of endostatin in chromatographically separated extracts of natural peptides.** (2002) John H, Schulz S, Forssmann WG, Standker L. *J Immunol Methods* **268** : 233- 237. 11.
- (275) **Determination of the disulfide bond pattern of the endogenous and recombinant angiogenesis inhibitor endostatin by mass spectrometry.** (2001) John H, Forssmann WG. *Rapid Commun Mass Spectrom* **15**: 1222–8.
- (272) **Accurate Disulfide Formation in Escherichia coli: Overexpression and Characterization of the First Domain (HF6478) of the Multiple Kazal-Type Inhibitor LEKTI.** (2001) Lauber T, Marx UC, Schulz A, Kreuzmann P, Rosch P, Hoffmann S. *Protein Expr Purif* **22**: 108–12.
- (268) **The disulfide bond pattern of catrocollastatin C, a disintegrin-like/cysteine-rich protein isolated from Crotalus atrox venom.** (2000) Calvete JJ, Moreno-Murciano MP, Sanz L, Jurgens M, Schrader M, Raida M, Benjamin DC, Fox JW. *Protein Sci* **9**: 1365–73.
- (262) **Dual function of the propeptide of prouroguanylin in the folding of the mature peptide.** (2000) Hidaka Y, Shimono C, Ohno M, Okumura N, Adermann K, Forssmann WG, Shimonishi Y. *J Biol Chem* **275**: 25155–62.
- (254) **Solution structures of human parathyroid hormone fragments hPTH(1–34) and hPTH(1–39) and bovine parathyroid hormone fragment bPTH(1–37).** (2000) Marx UC, Adermann K, Bayer P, Forssmann WG, Rosch P. *Biochem Biophys Res Commun* **267**: 213–20.
- (248) **Preparation of disulfide-bonded polypeptide heterodimers by titration of thio-activated peptides with thiol-containing peptides.** (2000) Schulz A, Adermann K, Eulitz M, Feller SM, Kardinal C. *Tetrahedron* **56**: 3889–3891.
- (237) **Characterisation of the conformational and quaternary structure-dependent heparin-binding region of bovine seminal plasma protein PDC-109.** (1999) Calvete JJ, Campanero-Rhodes MA, Raida M, Sanz L. *FEBS Lett* **444**: 260–4.

- (236) **Molecular characterization and crystallization of Diocleinae lectins.** (1999) Calvete JJ, Thole HH, Raida M, Urbanke C, Romero A, Grangeiro TB, Ramos MV, Almeida da Rocha IM, Guimaraes FN, Cavada BS. *Biochim Biophys Acta* **1430**: 367–75.
- (234) **Synthesis and characterization of the human CC chemokine HCC-2.** (1999) Escher SE, Sticht H, Forssmann WG, Rosch P, Adermann K. *J Pept Res* **54**: 505–13.
- (225) **EC3, a novel heterodimeric disintegrin from Echis carinatus venom, inhibits alpha4 and alpha5 integrins in an RGD-independent manner.** (1999) Marcinkiewicz C, Calvete JJ, Marcinkiewicz MM, Raida M, Vijay-Kumar S, Huang Z, Lobb RR, Niewiarowski S. *J Biol Chem* **274**: 12468–73.
- (224) **Structural and functional characterization of EMF10, a heterodimeric disintegrin from Eristocophis macmahoni venom that selectively inhibits alpha 5 beta 1 integrin.** (1999) Marcinkiewicz C, Calvete JJ, Vijay-Kumar S, Marcinkiewicz MM, Raida M, Schick P, Lobb RR, Niewiarowski S. *Biochemistry* **38**: 13302–9.
- (212) **Role of the prosequence of guanylin.** (1999) Schulz A, Marx UC, Hidaka Y, Shimonishi Y, Rosch P, Forssmann WG, Adermann K. *Protein Sci* **8**: 1850–9.
- (210) **A disulfide conjugate between anti-tetanus antibodies and HIV (37-72)Tat neutralizes tetanus toxin inside chromaffin cells.** (1999) Stein S, Weiss A, Adermann K, Lazarovici P, Hochman J, Wellhoner H. *FEBS Lett* **458**: 383–6.
- (209) **Solution structure of the human CC chemokine 2: A monomeric representative of the CC chemokine subtype.** (1999) Sticht H, Escher SE, Schweimer K, Forssmann WG, Rosch P, Adermann K. *Biochemistry* **38**: 5995–6002.
- (203) **Distinction between the three disulfide isomers of guanylin 99–115 by low-energy collision-induced dissociation.** (1998) Badock V, Raida M, Adermann K, Forssmann WG, Schrader M. *Rapid Commun Mass Spectrom* **12**: 1952–6.
- (197) **In vitro disulfide-coupled folding of guanylyl cyclase-activating peptide and its precursor protein.** (1998) Hidaka Y, Ohno M, Hemmasi B, Hill O, Forssmann WG, Shimonishi Y. *Biochemistry* **37**: 8498–507.
- (189) **One peptide, two topologies: structure and interconversion dynamics of human uroguanylin isomers.** (1998) Marx UC, Klodt J, Meyer M, Gerlach H, Rosch P, Forssmann WG, Adermann K. *J Pept Res* **52**: 229–40.
- (188) **Structure-activity relation of NH₂-terminal human parathyroid hormone fragments.** (1998) Marx UC, Adermann K, Bayer P, Meyer M, Forssmann WG, Rosch P. *J Biol Chem* **273**: 4308–16.
- (179) **Equine CRISP-3: primary structure and expression in the male genital tract.** (1998) Schambony A, Gentzel M, Wolfes H, Raida M, Neumann U, Topfer-Petersen E. *Biochim Biophys Acta* **1387**: 206–16.
- (177) **Carboxy-terminal extension stabilizes the topological stereoisomers of guanylin.** (1998) Schulz A, Escher S, Marx UC, Meyer M, Rosch P, Forssmann WG, Adermann K. *J Pept Res* **52**: 518–25.
- (172) **Isolation and characterization of heparin- and phosphorylcholine-binding proteins of boar and stallion seminal plasma. Primary structure of porcine pB1.** (1997) Calvete JJ, Raida M, Gentzel M, Urbanke C, Sanz L, Topfer-Petersen E. *FEBS Lett* **407**: 201–6.

- (171) **Monoclonal antibodies against boar sperm zona pellucida-binding protein AWN-1. Characterization of a continuous antigenic determinant and immunolocalization of AWN epitopes in inseminated sows.** (1997) Calvete JJ, Ensslin M, Mburu J, Iborra A, Martinez P, Adermann K, Waberski D, Sanz L, Topfer-Petersen E, Weitz KF, Einarsson S, Rodriguez-Martinez H. *Biol Reprod* 57: 735-42.
- (170) **The disulphide bond pattern of bitistatin, a disintegrin isolated from the venom of the viper Bitis arietans.** (1997) Calvete JJ, Schrader M, Raida M, McLane MA, Romero A, Niewiarowski S. *FEBS Lett* 416: 197-202.
- (159) **Synthesis, biological activity and isomerism of guanylate cyclase C-activating peptides guanylin and uroguanylin.** (1997) Klodt J, Kuhn M, Marx UC, Martin S, Rosch P, Forssmann WG, Adermann K. *J Pept Res* 50: 222-30.
- (148) **Matrix-assisted laser desorption/ionisation mass spectrometry guided purification of human guanylin from blood ultrafiltrate.** (1997) Schrader M, Jurgens M, Hess R, Schulz-Knappe P, Raida M, Forssmann WG. *J Chromatogr A* 776: 139-45.
- (145) **Solution structure of porcine delta sleep-inducing peptide immunoreactive peptide A homolog of the shortsighted gene product.** (1997) Seidel G, Adermann K, Schindler T, Ejchart A, Jaenicke R, Forssmann WG, Rosch P. *J Biol Chem* 272: 30918-27.
- (126) **Solution structure of a naturally-occurring zinc-peptide complex demonstrates that the N-terminal zinc-binding module of the Lasp-1 LIM domain is an independent folding unit.** (1996) Hammarstrom A, Berndt KD, Sillard R, Adermann K, Otting G. *Biochemistry* 35: 12723-32.
- (118) **Synthesis of phospho-urodilatin by combination of global phosphorylation with the segment coupling approach.** (1996) Mostafavi H, Austermann S, Forssmann WG, Adermann K. *Int J Pept Protein Res* 48: 200-7.
- (077) **Structure of human parathyroid hormone 1-37 in solution.** (1995) Marx UC, Austermann S, Bayer P, Adermann K, Ejchart A, Sticht H, Walter S, Schmid FX, Jaenicke R, Forssmann WG, et al. *J Biol Chem* 270: 15194-202.
- (073) **Synthesis, purification and biological activity of (Ser10-phosphatidyl)-urodilatin (phosphourodilatin).** (1995) Mostafavi H, Adermann K, Austermann S, Raida M, Meyer M, Forssmann WG. *Biomed Pept Proteins Nucleic Acids* 1: 255-60.
- (061) **Does a synthetic peptide containing the leucine-zipper domain of c-myc form an alpha-helical structure in solution?** (1994) Ebnet A, Adermann K, Wolfes H. *FEBS Lett* 337: 265-8.
- (046) **Involvement of 70-kD heat-shock proteins in peroxisomal import.** (1994) Walton PA, Wendland M, Subramani S, Rachubinski RA, Welch WJ. *J Cell Biol* 125: 1037-46.
- (038) **Membrane topology of the 22 kDa integral peroxisomal membrane protein.** (1993) Kaldi K, Diestelkötter P, Stenbeck G, Auerbach S, Jakle U, Magert HJ, Wieland FT, Just WW. *FEBS Lett* 315: 217-22.